

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	415	(bandgap or (band adj gap) or vbg or vbgr or "v.sub.bg" or "v.sub.bgr") with "current mirror"	US-PGPUB; USPAT	OR	OFF	2006/01/05 15:08
L2	80	1 same (NMOS or ((n adj (type or channel or MOS or MOSFET or FET))))	US-PGPUB; USPAT	OR	OFF	2006/01/05 14:39
L4	218	1 and (NMOS or ((n adj (type or channel or MOS or MOSFET or FET))))	US-PGPUB; USPAT	OR	OFF	2006/01/05 15:07
L5	138	4 not 2	US-PGPUB; USPAT	OR	OFF	2006/01/05 14:39
L6	6	5 and "tail current"	US-PGPUB; USPAT	OR	OFF	2006/01/05 15:08
L7	56	5 and "327"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2006/01/05 14:40
L8	65	5 and "323"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2006/01/05 14:41
L9	10	5 and "330"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2006/01/05 14:41
L10	26	7 and (8 or 9) not 6	US-PGPUB; USPAT	OR	OFF	2006/01/05 14:50
L11	30	7 not 10	US-PGPUB; USPAT	OR	OFF	2006/01/05 14:54
L12	42	(8 or 9) not (6 or 10)	US-PGPUB; USPAT	OR	OFF	2006/01/05 15:03
L13	35	5 not (6 or 10 or 11 or 12)	US-PGPUB; USPAT	OR	OFF	2006/01/05 15:05
L14	4199	327/108,513,539,541,543,546.ccls.	US-PGPUB; USPAT	OR	OFF	2006/01/05 15:06
L15	2425	323/313-316.ccls.	US-PGPUB; USPAT	OR	OFF	2006/01/05 15:06
L16	1775	330/253,261.ccls.	US-PGPUB; USPAT	OR	OFF	2006/01/05 15:06
L17	7791	14 or 15 or 16	US-PGPUB; USPAT	OR	OFF	2006/01/05 15:07
L18	7662	17 not 4	US-PGPUB; USPAT	OR	OFF	2006/01/05 15:07
L19	4355	18 and (NMOS or ((n adj (type or channel or MOS or MOSFET or FET))))	US-PGPUB; USPAT	OR	OFF	2006/01/05 15:07
L20	1161	18 and (bandgap or (band adj gap) or vbg or vbgr or "v.sub.bg" or "v.sub.bgr")	US-PGPUB; USPAT	OR	OFF	2006/01/05 15:56
L21	338	18 and "tail current"	US-PGPUB; USPAT	OR	OFF	2006/01/05 15:08
L22	32	19 and 20 and 21	US-PGPUB; USPAT	OR	OFF	2006/01/05 15:13

L23	1	21 and "composite voltage"	US-PGPUB; USPAT	OR	OFF	2006/01/05 15:14
L24	189	19 and 21 not 22	US-PGPUB; USPAT	OR	OFF	2006/01/05 15:14
L25	2	21 and (composite near3 voltage\$1)	US-PGPUB; USPAT	OR	OFF	2006/01/05 15:40
L26	0	24 and (composite near3 voltage\$1) not 25	US-PGPUB; USPAT	OR	OFF	2006/01/05 15:17
L27	65	24 and temperature\$1	US-PGPUB; USPAT	OR	OFF	2006/01/05 15:17
L28	107	24 and (threshold\$1 or vt or vth or vtp or vtn)	US-PGPUB; USPAT	OR	OFF	2006/01/05 15:46
L29	112	24 and (threshold\$1 or "v.sub.t" or "v. sub.th" or "v.sub.tp" or "v.sub.tn")	US-PGPUB; USPAT	OR	OFF	2006/01/05 15:47
L30	44	27 and (28 or 29)	US-PGPUB; USPAT	OR	OFF	2006/01/05 15:24
L31	69	(28 or 29) not 30	US-PGPUB; USPAT	OR	OFF	2006/01/05 15:40
L32	634	19 and 20	US-PGPUB; USPAT	OR	OFF	2006/01/05 15:40
L33	15	32 and (composite near3 voltage\$1)	US-PGPUB; USPAT	OR	OFF	2006/01/05 15:42
L34	76	24 not (25 or 30 or 31 or 33)	US-PGPUB; USPAT	OR	OFF	2006/01/05 15:43
L35	2783	19 and (threshold\$1 or vt or vth or vtp or vtn)	US-PGPUB; USPAT	OR	OFF	2006/01/05 15:47
L36	940	19 and ("v.sub.t" or "v.sub.th" or "v. sub.tp" or "v.sub.tn")	US-PGPUB; USPAT	OR	OFF	2006/01/05 15:47
L37	2719	(35 or 36) not (22 or 24 or 25 or 33)	US-PGPUB; USPAT	OR	OFF	2006/01/05 15:48
L38	85	37 and composite	US-PGPUB; USPAT	OR	OFF	2006/01/05 15:54
L39	1126	37 and temperature not 38	US-PGPUB; USPAT	OR	OFF	2006/01/05 15:54
L40	466	39 and ((combin\$5 or compos\$5 or sum\$6 or add\$5) near3 voltage\$1)	US-PGPUB; USPAT	OR	OFF	2006/01/05 15:55
L41	195	40 and (bandgap or (band adj gap) or vbg or vbgr or "v.sub.bg" or "v.sub. bgr")	US-PGPUB; USPAT	OR	OFF	2006/01/05 15:57
L42	104	41 and (diode\$1 near3 (connect\$3 or coupl\$3 or configur\$5))	US-PGPUB; USPAT	OR	OFF	2006/01/05 16:04
L43	91	41 not 42	US-PGPUB; USPAT	OR	OFF	2006/01/05 16:10
L44	271	40 not 41	US-PGPUB; USPAT	OR	OFF	2006/01/05 16:10

L45	75	44 and offset\$4	US-PGPUB; USPAT	OR	OFF	2006/01/05 16:13
L46	196	44 not 45	US-PGPUB; USPAT	OR	OFF	2006/01/05 16:13
L47	451	("WL" or "W/L" or (width adj length)) with differential	US-PGPUB; USPAT	OR	OFF	2006/01/05 16:15
L48	0	46 and 47	US-PGPUB; USPAT	OR	OFF	2006/01/05 16:16
L49	85	46 and differential	US-PGPUB; USPAT	OR	OFF	2006/01/05 16:18
L50	111	46 not 49	US-PGPUB; USPAT	OR	OFF	2006/01/05 16:19